


HRL RESIDENCE HALL FLOORING REPLACEMENT

45 UPPER COLLEGE RD
 KINGSTON, RI 02881
 KC.R.MISC.2022.001



PROJECT LOCATION
 FAYERWEATHER HALL

PROJECT LOCATION
 GORHAM HALL

PROJECT LOCATION
 HILLSIDE HALL

PROJECT LOCATION
 HEATHMAN HALL

DRAWING LIST

- 00 GENERAL
- G0.0 COVER SHEET
- G0.1 GENERAL INFORMATION, GENERAL NOTES, MATERIALS LIST

- 03 HEATHMAN HALL
- A3.101 FIRST FLOOR PLAN - TOWERS A B & C
- A3.102 FIRST FLOOR PLAN - TOWERS D & E
- A3.201 SECOND FLOOR PLAN - TOWERS A B & C
- A3.202 SECOND FLOOR PLAN - TOWERS D & E
- A3.301 THIRD FLOOR PLAN - TOWERS A B & C
- A3.302 THIRD FLOOR PLAN - TOWERS D & E

- 09 GORHAM HALL
- A9.100 BASEMENT PLAN
- A9.101 1ST FLOOR PLAN
- A9.102 2ND FLOOR PLAN
- A9.103 3RD FLOOR PLAN
- A9.104 4TH FLOOR PLAN

- 10 FAYERWEATHER HALL
- A10.100 BASEMENT PLAN
- A10.101 1ST FLOOR PLAN
- A10.102 1ST/2ND FLOOR PLAN
- A10.103 2ND/3RD FLOOR PLAN
- A10.104 3RD/4TH FLOOR PLAN
- A10.105 4TH FLOOR PLAN / ROOF

- 25 HILLSIDE HALL
- A25.101 FIRST FLOOR PLAN
- A25.102 SECOND FLOOR PLAN
- A25.103 THIRD FLOOR PLAN
- A25.104 FOURTH FLOOR PLAN
- A25.105 FIFTH FLOOR PLAN

THE UNIVERSITY OF RHODE ISLAND



Tecton ARCHITECTS

TECTON ARCHITECTS
 17 RAILROAD AVENUE
 WESTERLY, RI 02891




CONSTRUCTION DOCUMENTS
 01/27/2023


PROJECT NAME: HRL RESIDENCE HALL FLOORING REPLACEMENT

PROJECT NUMBER: URI711N


C:\Users\ChrisB\Documents\03 HEATHMAN_flooring_chrisb\A3.101.dwg



D9 FIRST FLOOR PLAN - TOWER A
1/8" = 1'-0"



H9 FIRST FLOOR PLAN - TOWERS B & C
1/8" = 1'-0"



GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES. FOR NEW FINISH, MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILING, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HEATHMAN HALL

LIMIT OF CONSTRUCTION: STAIRWELLS, CORRIDORS AND BEDROOMS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING VCT FLOORING IN BEDROOMS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- REMOVE EXISTING CARPET AND RUBBER FLOORING IN CORRIDORS AND STAIRWELLS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN ALL CORRIDORS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW SHEET FLOORING AND BASE IN ALL BEDROOMS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW RUBBER FLOORING AND WALK OFF MAT IN STAIRWELLS AS TAGGED TO RECEIVE NEW FLOORING.


PHASING PLAN:

PHASE 1: WEST BEDROOMS.
URI TO MOVE FURNITURE FROM WEST BEDROOMS TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF WEST BEDROOMS.

PHASE 2: EAST BEDROOMS.
UPON COMPLETION OF PHASE 1, URI TO MOVE FURNITURE FROM EAST BEDROOMS TO WEST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF EAST BEDROOMS.

PHASE 3: CORRIDORS AND STAIRS.
UPON COMPLETION OF PHASE 2, URI TO MOVE ORIGINAL EAST BEDROOM FURNITURE BACK TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF CORRIDORS AND STAIRS.

FINISHES LEGEND



Issues / Revisions

No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title

FIRST FLOOR PLAN - TOWERS A B & C

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number

A3.101



Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc


© 2023 Tecton Architects | pc

Client/ Contractor
University of Rhode Island

Kingston, RI

Project
HRL HEATHMAN RESIDENT HALL FLOORING REPLACEMENT

HEATHMAN HALL, 48 BUTTERFIELD RD., KINGSTON, RI 02881



CONSTRUCTION DOCUMENTS



Issues / Revisions


No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
FIRST FLOOR PLAN - TOWERS A B & C

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number

A3.101



GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HEATHMAN HALL

LIMIT OF CONSTRUCTION: STAIRWELLS, CORRIDORS AND BEDROOMS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING VCT FLOORING IN BEDROOMS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- REMOVE EXISTING CARPET AND RUBBER FLOORING IN CORRIDORS AND STAIRWELLS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:


- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN ALL CORRIDORS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW SHEET VINYL FLOORING AND BASE IN ALL BEDROOMS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW RUBBER FLOORING AND WALK OFF MAT IN STAIRWELLS AS TAGGED TO RECEIVE NEW FLOORING.

PHASING PLAN:

PHASE 1: WEST BEDROOMS.
URI TO MOVE FURNITURE FROM WEST BEDROOMS TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF WEST BEDROOMS.

PHASE 2: EAST BEDROOMS.
UPON COMPLETION OF PHASE 1, URI TO MOVE FURNITURE FROM EAST BEDROOMS TO WEST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF EAST BEDROOMS.

PHASE 3: CORRIDORS AND STAIRS.
UPON COMPLETION OF PHASE 2, URI TO MOVE ORIGINAL EAST BEDROOM FURNITURE BACK TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF CORRIDORS AND STAIRS.



FINISHES LEGEND

	EXISTING ITEMS		NEW CONSTRUCTION
	NEW LVT FLOORING		DIRECTION OF PLANKS
	NEW SHEET VINYL FLOORING		WALK OFF MAT
	EXISTING FLOORING TO REMAIN		ROOM NAME

ROOMS RECEIVING NEW FLOORING

	ROOM NUMBER		WALL FINISH / MATERIAL
	WALL BASE MATERIAL		FLOORING MATERIAL



Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc


© 2023 Tecton Architects | pc

Client/ Contractor
University of Rhode Island

Kingston, RI

Project
HRL HEATHMAN RESIDENT HALL FLOORING REPLACEMENT

HEATHMAN HALL, 48 BUTTERFIELD RD, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
0127/2023		CONSTRUCTION DOCUMENTS

Drawing Title
FIRST FLOOR PLAN - TOWERS D & E

Project Manager: MT	Project No: UR171IN
Project Architect: MT	Production Leader: CB
Project Designer:	Peer Reviewer: RA

Drawing Number
A3.102

C:\Users\ChrisB\Documents\03 HEATHMAN_flooring_chrisb\X.1026.nt
2/23/2023 1:42:34 PM

H9 FIRST FLOOR PLAN - TOWERS D & E
1/8" = 1'-0"

Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED & OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HEATHMAN HALL

LIMIT OF CONSTRUCTION: STAIRWELLS, CORRIDORS AND BEDROOMS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING VCT FLOORING IN BEDROOMS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- REMOVE EXISTING CARPET AND RUBBER FLOORING IN CORRIDORS AND STAIRWELLS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN ALL CORRIDORS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW SHEET VINYL FLOORING AND BASE IN ALL BEDROOMS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW RUBBER FLOORING AND WALK OFF MAT IN STAIRWELLS AS TAGGED TO RECEIVE NEW FLOORING.

PHASING PLAN:

PHASE 1: WEST BEDROOMS.
URI TO MOVE FURNITURE FROM WEST BEDROOMS TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF WEST BEDROOMS.

PHASE 2: EAST BEDROOMS.
UPON COMPLETION OF PHASE 1, URI TO MOVE FURNITURE FROM EAST BEDROOMS TO WEST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF EAST BEDROOMS.

PHASE 3: CORRIDORS AND STAIRS.
UPON COMPLETION OF PHASE 2, URI TO MOVE ORIGINAL EAST BEDROOM FURNITURE BACK TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF CORRIDORS AND STAIRS.

FINISHES LEGEND


	EXISTING ITEMS		NEW CONSTRUCTION
	NEW LVT FLOORING		DIRECTION OF PLANKS
	NEW SHEET VINYL FLOORING		WALK OFF MAT
	EXISTING FLOORING TO REMAIN		ROOM NAME

ROOMS RECEIVING NEW FLOORING


	ROOM NUMBER		WALL FINISH / MATERIAL
	BASE		WALL BASE MATERIAL
	FLOOR		FLOORING MATERIAL



D9 SECOND FLOOR PLAN - TOWER A
1/8" = 1'-0"




H9 SECOND FLOOR PLAN - TOWERS B & C
1/8" = 1'-0"



Client/ Contractor
University of Rhode Island

Kingston, RI

Project
HRL HEATHMAN RESIDENT HALL FLOORING REPLACEMENT
HEATHMAN HALL, 48 BUTTERFIELD RD., KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
0127/2023		CONSTRUCTION DOCUMENTS

Drawing Title
SECOND FLOOR PLAN - TOWERS A B & C

Project Manager:	MT	Project No.:	URI71IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A3.201

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HEATHMAN HALL

LIMIT OF CONSTRUCTION: STAIRWELLS, CORRIDORS AND BEDROOMS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING VCT FLOORING IN BEDROOMS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- REMOVE EXISTING CARPET AND RUBBER FLOORING IN CORRIDORS AND STAIRWELLS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN ALL CORRIDORS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW SHEET VINYL FLOORING AND BASE IN ALL BEDROOMS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW RUBBER FLOORING AND WALK OFF MAT IN STAIRWELLS AS TAGGED TO RECEIVE NEW FLOORING.

PHASING PLAN:

PHASE 1: WEST BEDROOMS.
URI TO MOVE FURNITURE FROM WEST BEDROOMS TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF WEST BEDROOMS.

PHASE 2: EAST BEDROOMS.
UPON COMPLETION OF PHASE 1, URI TO MOVE FURNITURE FROM EAST BEDROOMS TO WEST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF EAST BEDROOMS.


PHASE 3: CORRIDORS AND STAIRS.
UPON COMPLETION OF PHASE 2, URI TO MOVE ORIGINAL EAST BEDROOM FURNITURE BACK TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF CORRIDORS AND STAIRS.

Client/ Contractor


University of Rhode Island

Kingston, RI


KEYPLAN



FINISHES LEGEND



SECOND FLOOR PLAN - TOWERS D & E




Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Project

HRL HEATHMAN RESIDENT HALL FLOORING REPLACEMENT

HEATHMAN HALL, 48 BUTTERFIELD RD, KINGSTON, RI 02881



CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
01/27/2023		CONSTRUCTION DOCUMENTS

Drawing Title
SECOND FLOOR PLAN - TOWERS D & E

Project Manager: MT	Project No: URI71IN
Project Architect: MT	Production Leader: CB
Project Designer:	Peer Reviewer: RA

Drawing Number
A3.202

Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HEATHMAN HALL

LIMIT OF CONSTRUCTION: STAIRWELLS, CORRIDORS AND BEDROOMS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING VCT FLOORING IN BEDROOMS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- REMOVE EXISTING CARPET AND RUBBER FLOORING IN CORRIDORS AND STAIRWELLS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN ALL CORRIDORS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW SHEET FLOORING AND BASE IN ALL BEDROOMS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW RUBBER FLOORING AND WALK OFF MAT IN STAIRWELLS AS TAGGED TO RECEIVE NEW FLOORING.

PHASING PLAN:

PHASE 1: WEST BEDROOMS.
URI TO MOVE FURNITURE FROM WEST BEDROOMS TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF WEST BEDROOMS.

PHASE 2: EAST BEDROOMS.
UPON COMPLETION OF PHASE 1, URI TO MOVE FURNITURE FROM EAST BEDROOMS TO WEST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF EAST BEDROOMS.



PHASE 3: CORRIDORS AND STAIRS.
UPON COMPLETION OF PHASE 2, URI TO MOVE ORIGINAL EAST BEDROOM FURNITURE BACK TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF CORRIDORS AND STAIRS.

FINISHES LEGEND


	EXISTING ITEMS		NEW CONSTRUCTION
	NEW LVT FLOORING		DIRECTION OF PLANKS
	NEW SHEET VINYL FLOORING		WALK OFF MAT
	EXISTING FLOORING TO REMAIN		ROOM NAME

ROOMS RECEIVING NEW FLOORING


	ROOM NAME		ROOM NUMBER
	WALL FINISH / MATERIAL		WALL BASE MATERIAL
	FLOOR		FLOORING MATERIAL



D9 THIRD FLOOR PLAN - TOWER A
1/8" = 1'-0"




H9 THIRD FLOOR PLAN - TOWERS B & C
1/8" = 1'-0"



Client/ Contractor
University of Rhode Island

Kingston, RI

Project
HRL HEATHMAN RESIDENT HALL FLOORING REPLACEMENT
HEATHMAN HALL, 48 BUTTERFIELD RD., KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
THRID FLOOR PLAN - TOWERS A B & C

Project Manager: MT	Project No: UR171IN
Project Architect: MT	Production Leader: CB
Project Designer: RA	Peer Reviewer: RA

Drawing Number
A3.301



GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HEATHMAN HALL

LIMIT OF CONSTRUCTION: STAIRWELLS, CORRIDORS AND BEDROOMS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING VCT FLOORING IN BEDROOMS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- REMOVE EXISTING CARPET AND RUBBER FLOORING IN CORRIDORS AND STAIRWELLS DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN ALL CORRIDORS AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW SHEET FLOORING AND BASE IN ALL BEDROOMS, AS TAGGED TO RECEIVE NEW FLOORING.
- PROVIDE AND INSTALL NEW RUBBER FLOORING AND WALK OFF MAT IN STAIRWELLS AS TAGGED TO RECEIVE NEW FLOORING.

PHASING PLAN:

PHASE 1: WEST BEDROOMS.
URI TO MOVE FURNITURE FROM WEST BEDROOMS TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF WEST BEDROOMS.

PHASE 2: EAST BEDROOMS.
UPON COMPLETION OF PHASE 1, URI TO MOVE FURNITURE FROM EAST BEDROOMS TO WEST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF EAST BEDROOMS.

PHASE 3: CORRIDORS AND STAIRS.
UPON COMPLETION OF PHASE 2, URI TO MOVE ORIGINAL EAST BEDROOM FURNITURE BACK TO EAST BEDROOMS. CONTRACTOR TO COMPLETE DEMOLITION AND CONSTRUCTION OF CORRIDORS AND STAIRS.

FINISHES LEGEND

	EXISTING ITEMS		NEW CONSTRUCTION
	NEW LVT FLOORING		DIRECTION OF PLANKS
	NEW SHEET VINYL FLOORING		WALK OFF MAT
	EXISTING FLOORING TO REMAIN		ROOM NAME

ROOMS RECEIVING NEW FLOORING

	ROOM NUMBER		WALL FINISH / MATERIAL
	WALL		FLOOR
	BASE		WALL BASE MATERIAL
	FLOORING MATERIAL		



Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc


© 2023 Tecton Architects | pc

Client/ Contractor
University of Rhode Island

Kingston, RI

Project
HRL HEATHMAN RESIDENT HALL FLOORING REPLACEMENT

HEATHMAN HALL, 48 BUTTERFIELD RD, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
0127/2023		CONSTRUCTION DOCUMENTS

Drawing Title
THIRD FLOOR PLAN - TOWERS D & E

Project Manager: MT	Project No: URI71IN
Project Architect: MT	Production Leader: CB
Project Designer:	Peer Reviewer: RA

Drawing Number
A3.302

C:\Users\ChrisB\Documents\03 HEATHMAN_flooring_chrisb\X\06.nt
2/23/2023 1:42:44 PM

C:\Users\ChrisB\Documents\09 GORHAM_flooring_ghrabuX.06.rvt
1/27/2023 11:31:34 AM

FINISHES LEGEND

EXISTING ITEMS
 NEW CONSTRUCTION

ROOM NAME
 (NUM) ROOM NUMBER
 (WALL) WALL FINISH / MATERIAL
 (BASE) WALL BASE MATERIAL
 (FLOOR) FLOORING MATERIAL

DIRECTION OF PLANKS
 (EXISTING FLOORING TO REMAIN) ROOM NAME NUM

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHES REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

GORHAM HALL


- LIMIT OF CONSTRUCTION: STAIRS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING STAIR LANDING, TREAD AND RISER FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW RUBBER FLOORING, STAIR AND RISER TREADS.



H9 1ST FLOOR
1/8" = 1'-0"




Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL GORHAM RESIDENCE HALL FLOORING REPLACEMENT
GORHAM HALL, 6 COMPLEX RD, KINGSTON, RI 02881



Seals

CONSTRUCTION DOCUMENTS


Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
1ST FLOOR PLAN

Project Manager:	MT	Project No.:	UR17/1IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A9.101

C:\Users\ChrisB\Documents\09 GORHAM_flooding_chrisab\UX\06.rvt 1/27/2023 11:31:35 AM



H9 3RD FLOOR
1/8" = 1'-0"

GENERAL NOTES - DEMOLITION

1. UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
2. PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
5. IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
6. REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

1. ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
2. WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
3. PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
4. ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

1. STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
2. PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

- GORHAM HALL**
1. LIMIT OF CONSTRUCTION: STAIRS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.
- DEMOLITION:**
1. REMOVE EXISTING STAIR LANDING, TREAD AND RISER FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- CONSTRUCTION:**
1. PROVIDE AND INSTALL NEW RUBBER FLOORING, STAIR AND RISER TREADS.

FINISHES LEGEND

	EXISTING ITEMS		NEW CONSTRUCTION
ROOM NAME	ROOM NUMBER		DIRECTION OF PLANKS
	WALL FINISH / MATERIAL		EXISTING FLOORING TO REMAIN
	WALL BASE MATERIAL		ROOM NAME
	FLOORING MATERIAL		NUM




Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL GORHAM RESIDENCE HALL FLOORING REPLACEMENT
GORHAM HALL, 6 COMPLEX RD, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
3RD FLOOR PLAN

Project Manager:	MT	Project No.:	URI71IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A9.103

C:\Users\ChrisB\Documents\09 GORHAM_flooding_chrisab\UX\06.rvt 1/27/2023 11:31:35 AM



GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLGS & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS, WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILING, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

- GORHAM HALL**
- LIMIT OF CONSTRUCTION: STAIRS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.
- DEMOLITION:**
- REMOVE EXISTING STAIR LANDING, TREAD AND RISER FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- CONSTRUCTION:**
- PROVIDE AND INSTALL NEW RUBBER FLOORING, STAIR AND RISER TREADS.

FINISHES LEGEND

	EXISTING ITEMS		NEW CONSTRUCTION
ROOM NAME	ROOM NUMBER		DIRECTION OF PLANKS
	WALL FINISH / MATERIAL		EXISTING FLOORING TO REMAIN
	WALL BASE MATERIAL		ROOM NAME
	FLOORING MATERIAL		NUM

H9 4TH FLOOR
1/8" = 1'-0"




Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL GORHAM RESIDENCE HALL FLOORING REPLACEMENT
GORHAM HALL, 6 COMPLEX RD, KINGSTON, RI 02881



Seals

CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
4TH FLOOR PLAN

Project Manager:	MT	Project No:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A9.104

Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor


UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project

HRL FAYERWEATHER RESIDENCE HALL FLOORING REPLACEMENT

FAYERWEATHER HALL, 4 COMPLEX RD, KINGSTON, RI 02881



Seals

PROJECT NORTH

CONSTRUCTION DOCUMENTS



Issues / Revisions

No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS


Drawing Title

1ST FLOOR PLAN

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number

A10.101



GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED & OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLOS. & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLOS. & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILING, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.


GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

- FAYERWEATHER HALL**
- LIMIT OF CONSTRUCTION: STAIRS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.
- DEMOLITION:**
- REMOVE EXISTING STAIR LANDING, TREAD AND RISER FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- CONSTRUCTION:**
- PROVIDE AND INSTALL NEW RUBBER FLOORING, STAIR AND RISER TREADS.

FINISHES LEGEND



H10 1ST FLOOR
1/8" = 1'-0"

C:\Users\ChrisB\Documents\10 FAYERWEATHER_flooding_chrisB\DUK06.rvt 1/27/2023 11:36:39 AM


Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL FAYERWEATHER RESIDENCE HALL FLOORING REPLACEMENT

FAYERWEATHER HALL, 4 COMPLEX RD, KINGSTON, RI 02881



Seals
PROJECT NORTH
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
1	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
1ST/2ND FLOOR PLAN

Project Manager:	MT	Project No.:	UR17/1IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A10.102



GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLOS. & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLOS. & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILING, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

- FAYERWEATHER HALL**
- LIMIT OF CONSTRUCTION: STAIRS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.
- DEMOLITION:**
- REMOVE EXISTING STAIR LANDING, TREAD AND RISER FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- CONSTRUCTION:**
- PROVIDE AND INSTALL NEW RUBBER FLOORING, STAIR AND RISER TREADS.


FINISHES LEGEND

	EXISTING ITEMS		NEW CONSTRUCTION
	ROOM NUMBER		DIRECTION OF PLANKS
	WALL FINISH / MATERIAL		EXISTING FLOORING TO REMAIN
	WALL BASE MATERIAL		ROOM NUMBER
	FLOORING MATERIAL		NUM

H10 1ST/2ND FLOOR
1/8" = 1'-0"

C:\Users\ChrisB\Documents\10 FAYERWEATHER_flooding_chrisB\DU06.rvt 1/27/2023 11:36:39 AM

C:\Users\ChrisB\Documents\10 FAYERWEATHER_flooring_chrisb\DU06.rvt 1/27/2023 11:36:42 AM



G10 4TH FLOOR
1/8" = 1'-0"

FINISHES LEGEND

EXISTING ITEMS
 NEW CONSTRUCTION

ROOM NAME
 ROOM NUMBER
 DIRECTION OF PLANKS

WALL FINISH / MATERIAL
 EXISTING FLOORING TO REMAIN

WALL BASE MATERIAL
 ROOM NAME

FLOORING MATERIAL
 NUM

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED & OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLOS. & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLOS. & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

- FAYERWEATHER HALL**
- LIMIT OF CONSTRUCTION: STAIRS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.
- DEMOLITION:**
- REMOVE EXISTING STAIR LANDING, TREAD AND RISER FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.
- CONSTRUCTION:**
- PROVIDE AND INSTALL NEW RUBBER FLOORING, STAIR AND RISER TREADS.



Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL FAYERWEATHER RESIDENCE HALL FLOORING REPLACEMENT

FAYERWEATHER HALL, 4 COMPLEX RD, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
4TH FLOOR PLAN / ROOF

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A10.105

Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL HILLSIDE RESIDENCE HALL FLOOR REPLACEMENT

HILLSIDE HALL, 140 CAMPUS AVE, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions

No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
FIRST FLOOR PLAN

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A25.101



GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HILLSIDE HALL

- LIMIT OF CONSTRUCTION; CORRIDORS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING CORRIDOR FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN CORRIDORS TAGGED TO RECEIVE NEW FLOORING.
- FULL TILES AT ALL CORRIDOR ALCOVES TYPICAL CONDITION NOTED ON SHEET A25.101 IN CORRIDOR 1C03B. COORDINATE LOCATIONS OF ALL CUT PLANKS WITH ARCHITECT AND OWNER PRIOR TO INSTALLATION. MINIMUM WIDTH OF TYPICAL CUT PLANK TO BE 4"(TYPICAL IS 6").

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES, FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- ALL EXISTING MARBLE THRESHOLDS AT BATHROOMS AND METAL TRANSITIONS AT FLOOR TILE ARE TO REMAIN. REMOVE ALL RUBBER TRANSITION STRIPS AT LOCATIONS INDICATED TO RECEIVE NEW FLOORING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLO'S & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLG'S & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.



E10 1ST FLOOR PLAN - TOWER A
1/8" = 1'-0"

H10 1ST FLOOR PLAN - TOWER B
1/8" = 1'-0"

C:\Users\ChrisB\Documents\24_HILLSIDE_flooring_amaBUX_06.rvt 2/9/2023 2:18:40 PM

Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc


© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL HILLSIDE RESIDENCE HALL FLOOR REPLACEMENT

HILLSIDE HALL, 140 CAMPUS AVE, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
0127/2023		CONSTRUCTION DOCUMENTS

Drawing Title
SECOND FLOOR PLAN

Project Manager: MT	Project No: UR171IN
Project Architect: MT	Production Leader: CB
Project Designer:	Peer Reviewer: RA

Drawing Number
A25.102



GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HILLSIDE HALL

- LIMIT OF CONSTRUCTION; CORRIDORS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING CORRIDOR FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN CORRIDORS TAGGED TO RECEIVE NEW FLOORING.
- FULL TILES AT ALL CORRIDOR ALCOVES TYPICAL CONDITION NOTED ON SHEET A25.101 IN CORRIDOR 1C03B. COORDINATE LOCATIONS OF ALL CUT PLANKS WITH ARCHITECT AND OWNER PRIOR TO INSTALLATION. MINIMUM WIDTH OF TYPICAL CUT PLANK TO BE 4" (TYPICAL IS 6").

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES' FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- ALL EXISTING MARBLE THRESHOLDS AT BATHROOMS AND METAL TRANSITIONS AT FLOOR TILE ARE TO REMAIN. REMOVE ALL RUBBER TRANSITION STRIPS AT LOCATIONS INDICATED TO RECEIVE NEW FLOORING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CLO'S & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CLGS. & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

FINISHES LEGEND

EXISTING ITEMS	NEW CONSTRUCTION
NEW LVT FLOORING	DIRECTION OF PLANKS

ROOMS RECEIVING NEW FLOORING

ROOM NAME	ROOM NUMBER
WALL	WALL FINISH / MATERIAL
BASE	WALL BASE MATERIAL
FLOOR	FLOORING MATERIAL

EXISTING FLOORING TO REMAIN

1 15B

E10 2ND FLOOR PLAN - TOWER A
1/8" = 1'-0"

H10 2ND FLOOR PLAN - TOWER B
1/8" = 1'-0"

C:\Users\ChrisB\Documents\24_HILLSIDE_flooring_amaBUX_06.rvt 2/9/2023 2:19:41 PM

Notice: This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL HILLSIDE RESIDENCE HALL FLOOR REPLACEMENT

HILLSIDE HALL, 140 CAMPUS AVE, KINGSTON, RI 02881



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions

No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
THIRD FLOOR PLAN

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A25.103



GENERAL NOTES - FINISHES

- STARTING POINTS AND STAGGERING PATTERN OF PLANKS TO BE COORDINATED WITH ARCHITECT / OWNER.
- PATTERN OF LVT PLANKS IS SHOWN FOR ORIENTATION OF PLANKS ONLY.

PROJECT SCOPE NOTES

HILLSIDE HALL

- LIMIT OF CONSTRUCTION; CORRIDORS ONLY AS INDICATED ON FLOORPLANS. ALL OTHER FLOORING IS EXISTING TO REMAIN.

DEMOLITION:

- REMOVE EXISTING CORRIDOR FLOORING DOWN TO EXISTING CONCRETE SLAB AND PREP FOR NEW FLOORING.

CONSTRUCTION:

- PROVIDE AND INSTALL NEW LVT FLOORING AND BASE IN CORRIDORS TAGGED TO RECEIVE NEW FLOORING.
- FULL TILES AT ALL CORRIDOR ALCOVES TYPICAL CONDITION NOTED ON SHEET A25.101 IN CORRIDOR 1C03B. COORDINATE LOCATIONS OF ALL CUT PLANKS WITH ARCHITECT AND OWNER PRIOR TO INSTALLATION. MINIMUM WIDTH OF TYPICAL CUT PLANK TO BE 4"(TYPICAL IS 6").

GENERAL NOTES - DEMOLITION

- UNLESS NOTED OTHERWISE, IN ROOMS INDICATED TO RECEIVE NEW FLOORING, ALL FLOOR SURFACES/ FINISHES & FLOORING BASE TRIM ARE TO BE REMOVED TO FLOOR SLAB & DISCARDED. CLEAN & PREPARE CONCRETE AS NECESSARY FOR REFINISHING.
- ALL EXISTING MARBLE THRESHOLDS AT BATHROOMS AND METAL TRANSITIONS AT FLOOR TILE ARE TO REMAIN. REMOVE ALL RUBBER TRANSITION STRIPS AT LOCATIONS INDICATED TO RECEIVE NEW FLOORING.
- PRESERVE & PROTECT ALL FLOOR, WALL AND CEILING FINISHES TO REMAIN IN AREAS OF DEMOLITION. PATCH TO MATCH AS REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL NECESSARY TO COMPLETE THE WORK. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE REMOVAL AND PROPER DISPOSAL, INCLUDING ALL COSTS FOR CARRYING AND DUMPING, OF ALL MATERIAL DEMOLISHED FROM THE PROJECT. THE CONTRACTOR SHALL PROVIDE OWNER WITH FIRST RIGHTS TO ALL MATERIALS BEFORE REMOVING FROM SITE.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH & REPAIR ALL EXISTING, TO REMAIN AREAS & SURFACES DAMAGED BY DEMOLITION AS NOTED &/OR SHOWN. THIS INCLUDES ALL WORK NECESSARY TO READY SURFACES FOR NEW FINISH. MATCH ALL ADJACENT MATERIALS WHERE PATCHING OCCURS.
- IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. OTHER WORK RELATED TO AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE PERFORMED WHETHER SO NOTED OR NOT. PROTECT ALL ITEMS INTENDED FOR SALVAGE & REUSE OR SCHEDULED TO REMAIN.
- REPAIR ALL WALLS, CIG'S & FLOOR SURFACES WHERE DEMOLITION OCCURS AND DAMAGE OCCURRED. THIS INCLUDES ALL NECESSARY WORK IN CIG'S, & WALLS AND FLOOR.

GENERAL NOTES - CONSTRUCTION

- ANY DISCREPANCIES SHALL BE PROMPTLY REPORTED TO THE ARCHITECT.
- WHERE THE DRAWINGS AND SPECIFICATIONS CONFLICT THE MOST STRINGENT, GREATEST QUANTITY AND OR BEST QUALITY SHALL BE USED.
- PATCH, REPAIR & REFINISH ALL SURFACES EXPOSED BY DEMOLITION WORK OR CUTTING TO ALIGN WITH EXISTING SURFACES SCHEDULED TO REMAIN OR NEW FINISHES SPECIFIED.
- ALL EXISTING FINISHED REMAINING IN PLACE (I.E. CARPET, VCT, CEILINGS, ETC.) SHALL BE CLEANED UTILIZING EFFECTIVE CLEANING METHODS WHICH WILL PRODUCE THE MOST DESIRABLE RESULTS POSSIBLE.

FINISHES LEGEND

	EXISTING ITEMS		NEW CONSTRUCTION
	NEW LVT FLOORING		DIRECTION OF PLANKS

ROOMS RECEIVING NEW FLOORING

ROOM NAME	ROOM NUMBER
WALL	WALL FINISH / MATERIAL
BASE	WALL BASE MATERIAL
FLOOR	FLOORING MATERIAL

EXISTING FLOORING TO REMAIN

1 15B


E10 3RD FLOOR PLAN - TOWER A
1/8" = 1'-0"

H10 3RD FLOOR PLAN - TOWER B
1/8" = 1'-0"

C:\Users\ChrisB\Documents\24_HILLSIDE_floors_amaBUX\06.rvt 2/9/2023 2:18:43 PM

HRL RESIDENCE HALL FLOORING REPLACEMENT - LAUNDRY ROOMS

KINGSTON, RHODE ISLAND



DRAWING LIST

00	GENERAL
G0.0	COVER SHEET
G1.2	GENERAL NOTES, ABBREV, AND SYMBOLS
01	GARRAHY
A1.100	BASEMENT PLAN
02	WILEY
A2.100	BASEMENT PLAN
03	HEATHMAN
A3.100	BASEMENT FLOORPLAN
04	ALDRICH
A4.100	1ST FLOOR PLAN
08	ELLERY
A8.101	1ST FLOOR PLAN
09	GORHAM
A9.100	BASEMENT PLAN
10	FAYERWEATHER
A10.100	BASEMENT PLAN
11	HOPKINS
A11.101	1ST FLOOR PLAN
12	MERROW
A12.100	BASEMENT FLOOR PLAN
13	TUCKER
A13.100	BASEMENT PLAN
14	HUTCHINSON
A14.100	BASEMENT FLOOR PLAN
15	PECK
A15.100	BASEMENT FLOOR PLAN
16	BROWNING
A16.100	BASEMENT FLOOR PLAN
17	BUTTERFIELD
A17.100	BASEMENT PLAN
18	ADAMS
A18.100	BASEMENT PLAN
19	WELDIN
A19.100	BASEMENT PLAN
A19.101	1ST FLOOR PLAN
A19.102	2ND FLOOR PLAN
A19.103	3RD FLOOR PLAN
A19.104	4TH FLOOR PLAN
20	BARLOW
A20.100	BASEMENT PLAN
A20.101	1ST FLOOR PLAN
A20.102	2ND FLOOR PLAN
A20.103	3RD FLOOR PLAN
A20.104	4TH FLOOR PLAN
21	BRESSLER
A21.100	BASEMENT FLOORPLAN
23	EDDY
A23.100	BASEMENT PLAN

THE
UNIVERSITY
OF RHODE ISLAND



Tecton
ARCHITECTS

**TECTON
ARCHITECTS**
17 RAILROAD AVENUE
WESTERLY, RI 02891




**CONSTRUCTION
DOCUMENTS**
01/27/2023

PROJECT NAME: HRL RESIDENCE HALL FLOORING REPLACEMENT - LAUNDRY ROOMS

PROJECT NUMBER: URI711N

P:\UR\UR171in - HRL Flooring02 Dvgs & Specs\01 Dvgs\01 Arch\04 Revit Models and CAD files\10 FAYERWEATHER.rvt
1/27/2023 10:40:35 AM



H10 BASEMENT
1/8" = 1'-0"


Tecton
ARCHITECTS

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
FAYERWEATHER HALL



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions

No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
BASEMENT PLAN


Project Manager:	MT	Project No:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A10.100

P:\UR\UR171in - HRL Flooring\02 Dwg & Specs\01 Arch\04 Revit Models and CAD files\11 HOPKINS.rvt
1/27/2023 10:42:14 AM

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND
KINGSTON, RI. 02881
Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
HOPKINS HALL



Seals CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
1	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
1ST FLOOR PLAN

Project Manager:	MT	Project No:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A11.101




H8 1ST FLOOR PLAN
1/8" = 1'-0"

P:\UR\UR171in - HRL Flooring\02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\12 MERROW.rvt
1/27/2023 10:46:24 AM

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND
KINGSTON, RI. 02881
Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
MERROW HALL



Seals CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title BASEMENT FLOOR PLAN

Project Manager:	MT	Project No:	URI-14-IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA


Drawing Number
A12.100



H10 BASEMENT FLOOR PLAN

3/32" = 1'-0"


1/27/2023 10:48:08 AM P:\UR\UR171in - HRL Flooring\02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\15 PECK.rvt



H10 BASEMENT FLOOR PLAN
1/8" = 1'-0"

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND
KINGSTON, RI. 02881
Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
PECK HALL



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
BASEMENT FLOOR PLAN

Project Manager:	MT	Project No:	URI-14-IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A15.100

P:\UR\UR17171n - HRL Flooring\02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\17 BUTTERFIELD.rvt
1/27/2023 10:51:33 AM



H10 BASEMENT PLAN
3/32" = 1'-0"




Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL RESIDENCE HALL FLOORING REPLACEMENT BUTTERFIELD HALL



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
BASEMENT PLAN

Project Manager:	MT	Project No:	UR171N
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A17.100


Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc

© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
WELDIN HALL



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
1	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
BASEMENT PLAN

Project Manager:	MT	Project No.:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA


Drawing Number
A19.100



H10 BASEMENT PLAN
1/8" = 1'-0"

1/27/2023 10:55:41 AM P:\UR\UR171in - HRL Flooring\02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\19 WELDIN.rvt


1/27/2023 10:55:42 AM P:\UR\UR171in - HRL Flooring\02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\19 WELDN.rvt



H10 2ND FLOOR PLAN
1/8" = 1'-0"

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND
KINGSTON, RI. 02881
Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
WELDN HALL



Seals
CONSTRUCTION DOCUMENTS


Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
2ND FLOOR PLAN

Project Manager:	MT	Project No:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A19.102

P:\UR\UR171in - HRL - HRL Flooring\02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\20 BARLOW.rvt
1/27/2023 10:57:59 AM




H10 BASEMENT PLAN
3/32" = 1'-0"

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
BARLOW HALL



Seals
CONSTRUCTION DOCUMENTS




Issues / Revisions		
No.	Date	Description
01	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
BASEMENT PLAN

Project Manager:	MT	Project No:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A20.100

P:\UR\UR171in - HRL Flooring02 Dvgs & Specs\01 Arch\04 Revit Models and CAD files\21 BRESSLER.rvt
1/27/2023 10:59:26 AM




H10 BASEMENT FLOOR PLAN
3/32" = 1'-0"

Notice:
This drawing is the property of Tecton Architects | pc. The use, re-use or reproduction of this drawing for any purpose whatsoever without an expressed written agreement between Tecton Architects | pc and the user is prohibited. Rights to use the information on this sheet are not transferred until payment has been received for services rendered. Any rights so granted are non-transferable to other parties without the prior expressed written consent of Tecton Architects | pc.
© 2023 Tecton Architects | pc

Client/ Contractor
UNIVERSITY OF RHODE ISLAND

KINGSTON, RI. 02881

Project
HRL RESIDENCE HALL FLOORING REPLACEMENT
BRESSLER HALL



Seals
CONSTRUCTION DOCUMENTS



Issues / Revisions		
No.	Date	Description
	01/27/2023	CONSTRUCTION DOCUMENTS

Drawing Title
BASEMENT FLOOR PLAN

Project Manager:	MT	Project No:	UR171IN
Project Architect:	MT	Production Leader:	CB
Project Designer:		Peer Reviewer:	RA

Drawing Number
A21.100

